REFERENCES

1. A Annapurna, V. Ramakrishna, K. Murali Krisha and V. Krishana kumar and K.B. Prasad., (2004), "Studies on Nootropic acivity of Ramipril and Losartan on scopolamine induced Amnesia in Rats" Indian J. Pharm. Sci; 66(1):31-35.
2. Anonymous. (2000) National Institute of aging-National Institutes of Health. Progress Report on 'Alzheimer's disease: Taking the next steps, PP.126-134, National Institutes of Health, Washington DC.
3. Begum F, Islam KM, Paul RN, Mehedi M, Rani S.,(2003), "In vitro propagation of emetic nut Randia dumetorum (Lamb.)". Indian J Exp Biol., Dec;41(12):1479-81.
4. Bhatia AL, Jain M.,(2003), "Amaranthus paniculatus (Linn.) improves learning after radiation stress". J Ethnopharmacol.,Mar;85(1):73-9.
5. Bhattacharjee R, Sil PC.,(2007), "Protein isolate from the herb, Phyllanthus niruri L. (Euphorbiaceae), plays hepatoprotective role against carbon tetrachloride induced liver damage via its antioxidant properties". Food Chem Toxicol., May;45(5):817-26. Epub 2006 Nov 11.
6. Bhattacharya SK, Upadhyay SN, Jaiswal AK. Effect of piracetam on electroshock-induced amnesia and decrease in acetyl choline in rats. Indian J. Exp. Biol. 1993; 31: 822-824.
7. Bonin-Guillaume S, Zekry D, Giacobini E, Gold G, Michel JP.,(2005), "Impact économique de la démence (English: The economical impact of dementia)" (in French). Presse Med. ; 34(1): 35-41.
8. Brookmeyer R, Gray S, Kawas C. (1998), "Projections of Alzheimer's disease in the United States and the public health impact of delaying disease onset". Am J Public Health; 88 (9): 1337-42.
9. C Jagetia G.,(2007),Radioprotective Potential of Plants and Herbs against the Effects of Ionizing Radiation. J Clin Biochem Nutr.,Mar;40(2):74-81.
10. Colombo R, de L Batista AN, Teles HL, Silva GH, Bomfim GC, Burgos RC, Cavalheiro AJ, da Silva Bolzani V, Silva DH, Pelícia CR, Guimarães FM, Heimberg MC.,(2009), "Validated HPLC method for the standardization of Phyllanthus niruri (herb and commercial extracts) using corilagin as a phytochemical marker". Biomed Chromatogr., Jun;23(6):573-80.

11. Dubois MA, Benze S, Wagner H.,(1990), “New biologically active triterpene-saponins from Randia dumetorum”. Planta Med., Oct;56(5):451-5.

12. El Bekay R, Romero-Zerbo Y, Decara J, Sanchez-Salido L, Del Arco-Herrera I, Rodríguez-de Fonseca F, de Diego-Otero Y.,(2007), "Enhanced markers of oxidative stress, altered antioxidants and NADPH-oxidase activation in brains from Fragile X mental retardation 1-deficient mice, a pathological model for Fragile X syndrome". Eur. J Neurosci.; 26(11):3169-80.

13. Hanumanthachar Joshi and Milind Parle, (2006), Nardostachys jatamansi improves learning and memory in mice. Journal of Medicinal Food (USA); 9 (1): 113-117.

14. Hanumanthachar Joshi and Milind Parle., (2007), "Antiamnesic potentials of Foeniculum vulgare Linn. in mice" Oriental Pharmacy and Experimental Medicine, 7(2), 182-190.

15. Hanumanthachar Joshi, Milind Parle, Chandrashekhar Disale.,(2008), Therapeutic effects of a novel phytochemical formulation phyllsarone- 2h in animal models relevant to Alzheimer's disease. Alzheimer's and dementia, 4(2), 760-763.

16. Hanumanthachar Joshi, Navneet kaur, (2007), Juyotibala chauhan. Antimanesic effects of Argyreia nervosa in mice. Journal of health sciences (Japan),53(4), 382-388.

17. Iizuka T, Moriyama H, Nagai M.,(2006), “Vasorelaxant effects of methyl brevifolincarboxylate from the leaves of Phyllanthus niruri”. Biol Pharm Bull., Jan;29(1):177-9.

18. Iizuka T, Nagai M, Taniguchi A, Moriyama H, Hoshi K.,(2007), “Inhibitory effects of methyl brevifolincarboxylate isolated from Phyllanthus niruri L. on platelet aggregation”. Biol Pharm Bull., Feb;30(2):382-4.

19. Itoh J, Nabeshima T, Kameyama T., (1990), "Utility of an elevated plus maze for the evaluation of nootropics, scopolamine and electro convulsive shock". Psychopharmacology , 101, 27-33.

20. Jha NK.,(2008), Garcinia cambogia: kokam, Phytopharm11, 3-19.

21. Klimczak I, Małecka M, Pachołek B.,(2002), “Antioxidant activity of ethanolic extracts of amaranth seeds”. Nahrung.,Jun;46(3):184-6.

22. Krishna A, Kumar A.,(2005), “Evaluation of radioprotective effects of Rajgira (Amaranthus paniculatus) extract in Swiss albino mice”. J Radiat Res (Tokyo).,Jun;46(2):233-9.

23. Kulkarni SK., (1987), Hand book of experimental Pharmacology, Vallabh Prakashan, New Delhi. PP. 117-119.

24. Kumar VP, Chauhan NS, Padh H, Rajani M.,(2006), “antibacterial and antifungal agents from selected Indian medicinal plants”. J Ethnopharmacol., Sep 19;107(2): Epub 2006 Mar 27., 182-188.

25. Maharwal J, Samarth RM, Saini MR.,(2003), “Radiomodulatory influence of Rajgira (Amaranthus paniculatus) leaf extract in Swiss albino mice”. Phytother Res. Dec;17(10):1150-4.

26. Meek PD, McKeithan K, Schumock GT., (1998), "Economic considerations in Alzheimer's disease". Pharmacotherapy; 18 (2 Pt 2): 68-73; 79-82.

27. Molsa PK, Marttila RJ, Rinne UK. (1986), "Survival and cause of death in Alzheimer's disease and multi-infarct dementia". Acta Neurol. Scand.; 74(2): 103-7.

28. Murugaiyah V, Chan KL.,(2006), “Antihyperuricemic lignans from the leaves of Phyllanthus niruri”. Planta Med., Nov;72(14):1262-7. Epub 2006 Sep 1.

29. Mustofa, Sholikhah EN, Wahyuono S.,(2007), “In vitro and in vivo antiplasmodial activity and cytotoxicity of extracts of Phyllanthus niruri L. herbs traditionally used to treat malaria in Indonesia”. Southeast Asian J Trop Med Public Health., Jul;38(4):609-15.

30. Newman MF, Kirschner JL, Phillips B. (2001), Longitudinal assessment of neurocognitive function after coronaryartery bypass surgery. N. Engl. J. Med.; 344: 395-402.

31. Nworu CS, Akah PA, Okoye FB, Proksch P, Esimone CO.,(2010), “The effects of Phyllanthus niruri aqueous extract on the activation of murine lymphocytes and bone marrow-derived macrophages”. Immunol Invest.,Jan;39(3):245-67.

32. Okoli CO, Obidike IC, Ezike AC, Akah PA, Salawu OA.,(2011), “Studies on the possible mechanisms of antidiabetic activity of extract of aerial parts of Phyllanthus niruri”. Pharm Biol.,Mar;49(3):248-55.

33. Parle milind, Nirmal singh, (2004) "Animal models for testing memory". Asia Pac. J. Pharmacol. 16(b), 101-120.

34. Patil M., (2011), “Protective role of Phyllantus niruri extract in doxorubicin-induced myocardial toxicity in rats”. Indian J Pharmacol.,Feb;43(1):31-5.

35. Plan JC, Zhang SS., (1996), Antagonism of Piracetam on the amnestic effect of diazepam in mice. Yao Xue Xue Bao.; 31: 91-94.

36. Pradhan S, Sharma AK, Sopory SK.,(1993), “Cloning of the BamHI repeat from Amaranthus and study of its methylation in genomic DNA during dedifferentiation”. Biochem Mol Biol Int. Jul;30(3):571-8.

37. Prakash AO, Saxena V, Shukla S, Tewari RK, Mathur S, Gupta A, Sharma S, Mathur R.,(1985), “Anti-implantation activity of some indigenous plants in rats”. Acta Eur Fertil., Nov-Dec;16(6):441-8.

38. Punita A, Chaturvedi A.,(2000), “Effect of feeding crude red palm oil (Elaeis guineensis) and grain amaranth (Amaranthus paniculatus) to hens on total lipids, cholesterol, PUFA levels and acceptability of eggs”. Plant Foods Hum Nutr.; 55(2):147-57.

39. Rajan Ravindran, Rathinasamy sheela Devi, James Samson, and Manohar Senthilvelan (2005),"noise-Stress-induces Brain neurotransmitter Change and the effect of Ocimum sanctum (Linn) Treatment in Albino rats. J Pharm. Sciences;; 98: 354-360.

40. Rajyalakshmi P, Geervani P.,(1994), “Nutritive value of the foods cultivated and consumed by the tribals of south India” . Plant Foods Hum Nutr.,Jul;46(1):53-61.

41. Ranilla LG, Apostolidis E, Shetty K., (2011), “Antimicrobial Activity of an Amazon Medicinal Plant (Chancapiedra) (Phyllanthus niruri L.) against Helicobacter pylori and Lactic Acid Bacteria”. Phytother Res.,Oct 28;(10):3646

42. Rao SK, Andrade C, Reddy K, Madappa KN, Thyagarajan S, Chandra S., (2002), Memory "protective effect of indomethacin against electro convulsive shock induced retrograde amnesia in rats". Biol. psychiatry , 51, 770-773.

43. Reddy DS, Kulkarni SK., (1998) "Possible role of nitric oxide in the nootropic and antiamnesic effects of neurosteroids on aging and dizoclipine induced learning impairment". Brain Res. 799, 215-229.

44. Rogers SH, Farlow MR, Doody RS, Mohs R, Friedhoff LI., (1998), "Donepezil study group-A 24 week, double blind, Placebo-controlled trial of donepezil in patients with Alzheimer's disease". Neurology , 50, 136-140.

45. Sarkar MK, Sil PC.,(2010), “Prevention of tertiary butyl hydroperoxide induced oxidative impairment and cell death by a novel antioxidant protein molecule isolated from the herb, Phyllanthus niruri”. Toxicol In Vitro.,Sep;24(6):1711-9. Epub 2010 May 25.

46. Selinioti E, Manetas Y, Gavalas NA.,(1986), “Cooperative Effects of Light and Temperature on the Activity of Phosphoenolpyruvate Carboxylase from Amaranthus paniculatus L.”. Plant Physiol.,Oct;82(2):518-22.

47. Smith JV, Luo Y., (2003), "Elevation of oxidative free radicals in Alzheimer's disease models can be attenuated by Ginkgo biloba extract" Egb 761. J. Alzheimers Dis. 5, 287-291.

48. Tabert MH, Liu X, Doty RL, Serby M, Zamora D, Pelton GH, Marder K, Albers MW, Stern Y, Devanand DP. (2005), "A 10-item smell identification scale related to risk for Alzheimer's disease". Ann. Neurol.; 58 (1): 155-160.

49. Tasaduq SA, Singh K, Sethi S, Sharma SC, Bedi KL, Singh J, Jaggi BS, Johri RK.,(2003), “Hepatocurative and antioxidant profile of HP-1, a polyherbal phytomedicine”. Hum Exp Toxicol., Dec;22(12):639-45.

50. Thippeswamy AH, Shirodkar A, Koti BC, Sadiq AJ, Praveen DM, Swamy AH, Wei W, Li X, Wang K, Zheng Z, Zhou M.,(2011), “Lignans with Anti-Hepatitis B Virus Activities from Phyllanthus niruri L.”. Phytother Res.,Dec 1; (10):3663.

51. Waldemar G, Dubois B, Emre M, et al. (2007), "Recommendations for the diagnosis and management of Alzheimer's disease and other disorders associated with dementia: EFNS guideline". Eur. J. Neurol.; 14 (1): e1-26.

52. Yoganarasimhan SN, (1996) Medicinal plants of India, vol.I, .Interline publishing private Ltd, Banglore. 121-122.

53. Yoganarasimhan SN, (1996) Medicinal plants of India, vol. I, .Interline publishing private Ltd, Banglore. 95.